

Strukturdiagramm

St	Vorkommen	Element
changeOrderRequest		
O	<i>optional</i>	codeTableVersion
M	<i>required</i>	version
O	<i>optional</i>	testcase
M	1 .. 1	xsd:sequence
M	1 .. 1	MsgHeader
M	1 .. 1	xsd:sequence
O	0 .. 1	MsgSource
O	0 .. 1	MsgFormat
O	0 .. 1	User
O	0 .. 1	Password
M	1 .. 1	MsgID
O	0 .. 1	ODOCID
M	1 .. 1	CreationDateTime
M	1 .. 1	Receiver
O	0 .. 1	CommunicationPartner
M	1 .. 1	SubmitterSMS
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	Name
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	LargeCustZip
O	0 .. unbounded	Contact
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
M	1 .. 1	Origin
M	1 .. 1	xsd:sequence
M	1 .. 1	SystemName
O	0 .. 1	SystemVersion
O	0 .. 1	CertificationDate
O	0 .. 1	FreeText
M	1 .. 1	OrderHeader
M	1 .. 1	xsd:sequence
M	1 .. 1	OrderType
O	0 .. 1	State
O	optional	final
O	0 .. 1	Released
O	0 .. 1	OrderDesc
O	0 .. 1	OrderLabel
O	0 .. 1	SubmissionType
O	0 .. 1	SubmissionID
O	0 .. 1	OrderID
O	0 .. unbounded	CustOrderID
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	SystemName
O	0 .. 1	SystemID
O	0 .. 1	TotalAmount
M	required	value
O	optional	currency
O	0 .. unbounded	RefOrder
M	1 .. 1	xsd:sequence
O	0 .. 1	OrderID
O	0 .. 1	CustOrderID
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	SystemName
O	0 .. 1	SystemID
O	0 .. unbounded	OtherAttribute
M	required	type
O	optional	value
O	0 .. 1	Parties
M	1 .. 1	xsd:sequence
O	0 .. 1	Originator
M	1 .. 1	xsd:sequence
O	0 .. 1	CustID
O	0 .. 1	Name
O	0 .. 1	CustomsNumber

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	LargeCustZip
O	0 .. 1	Contact
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
O	0 .. 1	Producer
M	1 .. 1	xsd:sequence
O	0 .. 1	CustID
O	0 .. 1	Name
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	LargeCustZip
O	0 .. 1	Contact
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
O	0 .. 1	Submitter
M	1 .. 1	xsd:sequence
O	0 .. 1	CustID
O	0 .. 1	Name
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	LargeCustZip
O	0 .. 1	Contact

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
O	0 .. 1	Payer
M	1 .. 1	xsd:sequence
O	0 .. 1	CustID
O	0 .. 1	Name
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	LargeCustZip
O	0 .. 1	Contact
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
O	0 .. unbounded	Contract
M	1 .. 1	xsd:sequence
O	0 .. 1	ContractID
O	0 .. 1	ContractTypeCode
O	0 .. 1	IssueDate
O	0 .. 1	PaymentMeans
M	1 .. 1	xsd:sequence
O	0 .. 1	Procedure
O	0 .. 1	Participation
O	0 .. 1	PostCardID
O	0 .. 1	FinancialAccount
M	1 .. 1	xsd:sequence
O	0 .. 1	AccountHolder
O	0 .. 1	AccountID
O	0 .. 1	IBAN
O	0 .. 1	FinancialInstitution
O	0 .. 1	CC
O	0 .. 1	BankCode
O	0 .. 1	BIC
O	0 .. unbounded	OtherParty
M	1 .. 1	xsd:sequence
O	0 .. 1	Role
O	0 .. 1	CustID
O	0 .. 1	Name
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	LargeCustZip
O	0 .. unbounded	Contact
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
O	0 .. 1	Induction
M	1 .. 1	xsd:sequence
O	0 .. 1	TransitDirectionCode
O	0 .. 1	ProductionPlantID
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	EarliestDateTime
O	0 .. 1	LatestDateTime
O	0 .. unbounded	ShipmentItem
M	1 .. 1	xsd:sequence
O	0 .. unbounded	Shipment
O		updateMethod
M	1 .. 1	xsd:sequence
O	0 .. 1	ShipmentID
O	0 .. 1	Desc
O	0 .. 1	Type
O	0 .. 1	GWM
M	required	value

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	optional	unit
O	0 .. 1	Qty
O	0 .. 1	AdditionalQty
O	0 .. 1	TotalQty
O	0 .. 1	MachineProcessable
O	0 .. 1	MachineReadable
O	0 .. 1	Addressed
O	0 .. unbounded	CodeApplied
M	required	value
O	optional	type
O	0 .. 1	IndividualWeight
M	required	value
O	optional	unit
O	0 .. 1	Format
O	0 .. 1	Length
M	required	value
O	optional	unit
O	0 .. 1	Width
M	required	value
O	optional	unit
O	0 .. 1	Thickness
M	required	value
O	optional	unit
O	0 .. 1	InsuredValue
M	required	value
O	optional	currency
O	0 .. 1	CODAmount
M	required	value
O	optional	currency
O	0 .. 1	NonDeliveryDisposition
O	0 .. unbounded	OtherAttribute
M	required	type
O	optional	value
O	0 .. unbounded	Supplement
M	1 .. 1	xsd:sequence
O	0 .. 1	SupplementID
O	0 .. 1	Desc
O	0 .. 1	Type
O	0 .. 1	IndividualWeight
M	required	value
O	optional	unit
O	0 .. 1	Thickness
M	required	value
O	optional	unit
O	0 .. 1	Qty
O	0 .. unbounded	OtherAttribute
M	required	type
O	optional	value
O	0 .. 1	Postage
M	1 .. 1	xsd:sequence
O	0 .. 1	Type

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	Amount
M	<i>required</i>	value
O	<i>optional</i>	currency
O	0 .. 1	AmountShipment
M	<i>required</i>	value
O	<i>optional</i>	currency
O	0 .. 1	Code
O	0 .. 1	PaymentClearingNumber
O	0 .. 1	AdditionalCharge
O	0 .. 1	FrankingIdPrefix
O	0 .. 1	FrankingIdEncoding
O	0 .. 1	Destination
O	<i>optional</i>	prec
M	1 .. 1	xsd:sequence
O	0 .. unbounded	Dst
O	<i>optional</i>	from
O	<i>optional</i>	to
O	<i>optional</i>	cc
O	<i>optional</i>	zip
O	<i>optional</i>	qty
O	<i>optional</i>	id
O	<i>optional</i>	addId
O	<i>optional</i>	addIdType
O	<i>optional</i>	precP
O	<i>optional</i>	precT
O	<i>optional</i>	bid
O	<i>optional</i>	bq
O	<i>optional</i>	tz
O	<i>optional</i>	frankingIdPrefix
O	<i>optional</i>	frankingIdEncoding
M	1 .. 1	xsd:sequence
O	0 .. 1	Consignee
M	1 .. 1	xsd:sequence
O	0 .. 1	Name
O	0 .. 1	CustomsNumber
O	0 .. 1	TaxID
O	0 .. 1	Contact
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
O	0 .. 1	ProductName
O	0 .. 1	DeliveryChoice
O	0 .. 1	Content
O	0 .. 1	xsd:sequence
M	1 .. 1	SenderReference
O	0 .. 1	NatureOfGoods
O		gift
O		doc
O		sample
O		returnedGood
O		other
O	0 .. 1	Explication
O	0 .. 1	Comment
O	0 .. 1	GWM
M	required	value
O	optional	unit
O	0 .. 1	TotalValue
O		value
O		currency
O	0 .. 1	PostageAmount
O		currency
O		value
O	0 .. unbounded	Document
O		type
O		ref
O	0 .. unbounded	ContentPiece
O		num
O		qty
O		desc
O		value
O		currency
O		weight
O		unit
O		origin
O		hstariff
O	0 .. 1	RefDst
O	optional	prec
M	1 .. 1	xsd:sequence
O	0 .. unbounded	Range
O	optional	from
O	optional	to
O	0 .. unbounded	Item
M	1 .. 1	xsd:sequence
O	0 .. 1	ItemID

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	TotalAmount
M	required	value
O	optional	currency
O	0 .. unbounded	Ref
M	1 .. 1	xsd:sequence
O	0 .. 1	RefOrder
M	1 .. 1	xsd:sequence
O	0 .. 1	OrderID
O	0 .. 1	CustOrderID
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	SystemName
O	0 .. 1	SystemID
O	0 .. unbounded	RefShipment
M	1 .. 1	xsd:sequence
O	0 .. 1	RefShipmentID
O	0 .. unbounded	RefSupplementID
O	0 .. 1	Qty
O	0 .. unbounded	Range
M	required	from
M	required	to
M	1 .. unbounded	LineItem
M	1 .. 1	xsd:sequence
O	0 .. 1	ProductNumber
O	0 .. unbounded	Variant
O	0 .. 1	EarliestDateTime
O	0 .. 1	LatestDateTime
O	0 .. unbounded	OtherAttribute
M	required	type
O	optional	value
O	0 .. 1	Packaging
O		updateMethod
M	1 .. 1	xsd:sequence
O	0 .. 1	SlotQty
O	0 .. 1	Type
O	0 .. 1	Qty
O	0 .. unbounded	Package
O	optional	packageID
O	optional	serNum
O	optional	productGroup
O	optional	format
O	optional	sortMethod
O	optional	refPackage
O	optional	type
O	optional	transport
O	optional	sortProc
O	optional	stackable
O	optional	frameQty
O	optional	zipDst
O	optional	deliveryBase
O	optional	zipFrom
O	optional	zipTo

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
M	1 .. 1	xsd:sequence
O	0 .. 1	GWM
M	required	value
O	optional	unit
O	0 .. 1	NWM
M	required	value
O	optional	unit
O	0 .. unbounded	Ref
M	1 .. 1	xsd:sequence
O	0 .. 1	RefOrder
M	1 .. 1	xsd:sequence
O	0 .. 1	OrderID
O	0 .. 1	CustOrderID
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	SystemName
O	0 .. 1	SystemID
O	0 .. unbounded	RefShipment
M	1 .. 1	xsd:sequence
O	0 .. 1	RefShipmentID
O	0 .. 1	Qty
O	0 .. unbounded	Range
M	required	from
M	required	to