

Strukturdiagramm

St	Vorkommen	Element
getOrderRequest		
O	optional	codeTableVersion
M	required	version
O	optional	testcase
O	optional	includeDst
O	optional	includePackaging
O	optional	includeNVE
M	1 .. 1	xsd:sequence
M	1 .. 1	MsgHeader
M	1 .. 1	xsd:sequence
O	0 .. 1	MsgSource
O	0 .. 1	MsgFormat
O	0 .. 1	User
O	0 .. 1	Password
M	1 .. 1	MsgID
O	0 .. 1	ODOCID
M	1 .. 1	CreationDateTime
M	1 .. 1	Receiver
O	0 .. 1	CommunicationPartner
M	1 .. 1	SubmitterSMS
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	Name
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	LargeCustZip
O	0 .. unbounded	Contact
M	1 .. 1	xsd:sequence
O	0 .. 1	FirstName
O	0 .. 1	LastName
O	0 .. 1	Role
O	0 .. 1	Position
O	0 .. 1	Department
O	0 .. 1	Address
M	1 .. 1	xsd:sequence
O	0 .. 1	StreetName
O	0 .. 1	StreetNumber
O	0 .. 1	District
O	0 .. 1	Zip
O	0 .. 1	CityName

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

St	Vorkommen	Element
O	0 .. 1	CC
O	0 .. 1	POBAddress
M	1 .. 1	xsd:sequence
O	0 .. 1	Zip
O	0 .. 1	CityName
O	0 .. 1	Postbox
O	0 .. 1	CC
O	0 .. 1	Email
O	0 .. 1	Phone
O	0 .. 1	Fax
M	1 .. 1	Origin
M	1 .. 1	xsd:sequence
M	1 .. 1	SystemName
O	0 .. 1	SystemVersion
O	0 .. 1	CertificationDate
O	0 .. 1	FreeText
M	1 .. 1	OrderHeader
M	1 .. 1	xsd:sequence
O	0 .. 1	State
O	<i>optional</i>	final
M	1 .. 1	xsd:choice
O	0 .. 1	OrderID
O	0 .. 1	CustOrderID
M	1 .. 1	xsd:sequence
M	1 .. 1	CustID
O	0 .. 1	SystemName
O	0 .. 1	SystemID

St = Status: M=Mandatory (Pflicht), O=Optional