

## Strukturdiagramm

| St | Vorkommen      | Element                 |
|----|----------------|-------------------------|
|    |                | <b>seekOrderRequest</b> |
| O  | optional       | codeTableVersion        |
| M  | required       | version                 |
| O  | optional       | testcase                |
| O  | optional       | maxResult               |
| M  | 1 .. 1         | xsd:sequence            |
| M  | 1 .. 1         | <b>MsgHeader</b>        |
| M  | 1 .. 1         | xsd:sequence            |
| O  | 0 .. 1         | MsgSource               |
| O  | 0 .. 1         | MsgFormat               |
| O  | 0 .. 1         | User                    |
| O  | 0 .. 1         | Password                |
| M  | 1 .. 1         | MsgID                   |
| O  | 0 .. 1         | ODOCID                  |
| M  | 1 .. 1         | CreationDateTime        |
| M  | 1 .. 1         | Receiver                |
| O  | 0 .. 1         | CommunicationPartner    |
| M  | 1 .. 1         | <b>SubmitterSMS</b>     |
| M  | 1 .. 1         | xsd:sequence            |
| M  | 1 .. 1         | CustID                  |
| O  | 0 .. 1         | Name                    |
| O  | 0 .. 1         | <b>Address</b>          |
| M  | 1 .. 1         | xsd:sequence            |
| O  | 0 .. 1         | StreetName              |
| O  | 0 .. 1         | StreetNumber            |
| O  | 0 .. 1         | District                |
| O  | 0 .. 1         | Zip                     |
| O  | 0 .. 1         | CityName                |
| O  | 0 .. 1         | CC                      |
| O  | 0 .. 1         | <b>POBAddress</b>       |
| M  | 1 .. 1         | xsd:sequence            |
| O  | 0 .. 1         | Zip                     |
| O  | 0 .. 1         | CityName                |
| O  | 0 .. 1         | Postbox                 |
| O  | 0 .. 1         | CC                      |
| O  | 0 .. 1         | LargeCustZip            |
| O  | 0 .. unbounded | <b>Contact</b>          |
| M  | 1 .. 1         | xsd:sequence            |
| O  | 0 .. 1         | FirstName               |
| O  | 0 .. 1         | LastName                |
| O  | 0 .. 1         | Role                    |
| O  | 0 .. 1         | Position                |
| O  | 0 .. 1         | Department              |
| O  | 0 .. 1         | <b>Address</b>          |
| M  | 1 .. 1         | xsd:sequence            |
| O  | 0 .. 1         | StreetName              |
| O  | 0 .. 1         | StreetNumber            |
| O  | 0 .. 1         | District                |
| O  | 0 .. 1         | Zip                     |
| O  | 0 .. 1         | CityName                |
| O  | 0 .. 1         | CC                      |

St = Status: M=Mandatory (Pflicht), O=Optional

## Strukturdiagramm

| St | Vorkommen       | Element                    |
|----|-----------------|----------------------------|
| O  | 0 .. 1          | <b>POBAddress</b>          |
| M  | 1 .. 1          | xsd:sequence               |
| O  | 0 .. 1          | <b>Zip</b>                 |
| O  | 0 .. 1          | <b>CityName</b>            |
| O  | 0 .. 1          | <b>Postbox</b>             |
| O  | 0 .. 1          | <b>CC</b>                  |
| O  | 0 .. 1          | <b>Email</b>               |
| O  | 0 .. 1          | <b>Phone</b>               |
| O  | 0 .. 1          | <b>Fax</b>                 |
| M  | 1 .. 1          | <b>Origin</b>              |
| M  | 1 .. 1          | xsd:sequence               |
| M  | 1 .. 1          | <b>SystemName</b>          |
| O  | 0 .. 1          | <b>SystemVersion</b>       |
| O  | 0 .. 1          | <b>CertificationDate</b>   |
| O  | 0 .. 1          | <b>FreeText</b>            |
| O  | 0 .. 1          | <b>OrderHeader</b>         |
| M  | 1 .. 1          | xsd:sequence               |
| O  | 0 .. 1          | <b>OrderType</b>           |
| O  | 0 .. 1          | <b>State</b>               |
| O  | <i>optional</i> | <i>final</i>               |
| O  | 0 .. 1          | <b>Released</b>            |
| O  | 0 .. 1          | <b>AchievedDataQuality</b> |
| O  | 0 .. 1          | <b>IsActive</b>            |
| O  | 0 .. 1          | <b>OrderDesc</b>           |
| O  | 0 .. 1          | <b>OrderLabel</b>          |
| O  | 0 .. 1          | <b>ChangedSince</b>        |
| O  | 0 .. 1          | <b>OrderCategory</b>       |
| O  | 0 .. unbounded  | <b>OrderCategoryGroup</b>  |
| O  | 0 .. 100        | <b>OrderID</b>             |
| O  | 0 .. unbounded  | <b>CustOrderID</b>         |
| M  | 1 .. 1          | xsd:sequence               |
| M  | 1 .. 1          | <b>CustID</b>              |
| O  | 0 .. 1          | <b>SystemName</b>          |
| O  | 0 .. 1          | <b>SystemID</b>            |
| O  | 0 .. 1          | <b>OrderReference</b>      |
| O  | 0 .. unbounded  | <b>OtherAttribute</b>      |
| M  | <i>required</i> | <i>type</i>                |
| O  | <i>optional</i> | <i>value</i>               |
| O  | 0 .. 1          | <b>Parties</b>             |
| M  | 1 .. 1          | xsd:sequence               |
| O  | 0 .. 1          | <b>Originator</b>          |
| M  | 1 .. 1          | xsd:sequence               |
| M  | 1 .. 1          | <b>CustID</b>              |
| O  | 0 .. 1          | <b>Producer</b>            |
| M  | 1 .. 1          | xsd:sequence               |
| M  | 1 .. 1          | <b>CustID</b>              |
| O  | 0 .. 1          | <b>Submitter</b>           |
| M  | 1 .. 1          | xsd:sequence               |
| M  | 1 .. 1          | <b>CustID</b>              |
| O  | 0 .. 1          | <b>Payer</b>               |
| M  | 1 .. 1          | xsd:sequence               |

St = Status: M=Mandatory (Pflicht), O=Optional

Strukturdiagramm

| St | Vorkommen      | Element               |
|----|----------------|-----------------------|
| O  | 0 .. 1         | CustID                |
| O  | 0 .. 100       | Contract              |
| M  | 1 .. 1         | xsd:sequence          |
| O  | 0 .. 1         | ContractID            |
| O  | 0 .. 1         | ContractTypeCode      |
| O  | 0 .. 1         | PaymentMeans          |
| M  | 1 .. 1         | xsd:sequence          |
| O  | 0 .. 1         | Procedure             |
| O  | 0 .. 1         | Participation         |
| O  | 0 .. 1         | PaymentClearingNumber |
| O  | 0 .. unbounded | OtherParty            |
| M  | 1 .. 1         | xsd:sequence          |
| O  | 0 .. 1         | Role                  |
| M  | 1 .. 1         | CustID                |
| O  | 0 .. 1         | Induction             |
| M  | 1 .. 1         | xsd:sequence          |
| O  | 0 .. 1         | EarliestDateTime      |
| O  | 0 .. 1         | LatestDateTime        |